

nola®




Frame Litterbin

Design Broberg & Ridderstråle

The Frame litterbin has a modern design. The litterbin's sides taper inwards and upwards from the base, meeting the upper rim at the inner edge. The litterbin can be ordered with an ashtray integrated into the top. Frame is available in two sizes, 120 litres or 240 litres. Made with functionality in mind, the litterbin corresponds to the Frame planters.

CERTIFICATION





Dimensions and weight

Width: Ö13-54 + Ö13-54A: 39 cm Ö13-55: 49 cm
 Height: Ö13-54: 92 cm Ö13-54A: 99 cm Ö13-55: 115 cm
 Depth: Ö13-54 + Ö13-54A: 47 cm Ö13-55: 59 cm

Ö13-54 Width: 47 cm. Height: 93 cm. Dept: 47 cm. Volume: 120 liter. Weight: 46 kg

Ö13-54A Width: 47 cm. Height: 99 cm. Dept: 47 cm. Volume: 3,4 liter. Total weight: 56 kg

Ö13-55 Width: 59 cm. Height: 115 cm. Dept: 59 cm. Volume: 240 liter. Weight: 80 kg

Ö13-54BR Width: 46,5 cm. Height: 4 cm. Dept: 46,5 cm. Volume: 120 liter including tray holder. Weight: 51 kg

The scarecrow is mounted inside the ceiling in front of the opening and consists of 5 pcs 150 mm black chains. Both the scarecrow, tray holder and ashtray must be ordered in connection with ordering the litterbin.

Product numbers and combinations

Ö13-54 Frame, litter bin 120 liter

Ö13-54A Ashtray for Frame litter bin 120 liter

Ö13-54BR Tray holder on top for Frame litter bin 120 liter

Ö13-54K Bird deterrent (set of 5 chains) for Frame litter bin 120 liter

Ö13-55 Frame, litter bin 240 liter

Emblem Laser cut emblem for Frame litter bin

B11-06 Startup cost for powder coating steel in a color other than standard

Append to product number

METAL SURFACE FINISH

C for any color, for a start up fee.

VARIANTS


A for ashtray to Frame litterbin 120 l.

BR for tray table to Frame litterbin 120 l.

INSTALLATION TYPE

N for surface mount.

Standard colours



Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Freestanding and attachable.

Maintenance

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

The litterbin is available in two sizes, 120 or 240 liters.

Ashtray can be integrated on top.

Character

Wide and functional litterbin with a modern design. Available in two sizes, 120 liters or 240 liters with or without integrated ashtray on top and tray table.

Designers

Broberg & Ridderstråle

Stockholm based Broberg & Ridderstråle Design & Architecture is founded and run by Mats Broberg and Johan Ridderstråle. The duo met at the University College of Arts, Crafts and Design (Konstfack) where they both studied furniture and interior design. Today they work within the fields of architecture and design. Their design method is based on the traditional craft, where they often gather inspiration from their daily lives only to then add a new twist to the design that lifts the product to a new level. Broberg & Ridderstråle have throughout the years designed numerous products and furniture series for Nola.



