

nola®



Korg Furniture Group

Design Thomas Bernstrand

Each design in the Korg family is formed by clean lines and soft contours. The group is comprised of armchairs and backed benches, and includes a round café table. Korg's seats and backrests are made from steel thread, enabling rain and water to run off without leaving lasting marks. Each seat and table is attached to a sturdy cylindrical support that bolts securely to the ground. Modular versions of the seating designs are also available in the Korg modular furniture system.

CERTIFICATION



Dimensions and weight

Korg Table

Height: 72 cm

Ø: 70 cm

Korg Arm Chair

Width: 64 cm

Height: 88 cm

Sitting height: 45 cm

Depth: 61 cm

Korg Park Bench

Width: 130 cm

Height: 88 cm

Sitting height: 45 cm

Depth: 61 cm

Product numbers and combinations

B11-06 Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.

U12-34/70 Korg table, 70 cm diameter, electroplated steel, standard colour

U12-30 Korg swivel armchair, electroplated steel, standard colour

U12-31 Korg armchair, non-swivel version, electroplated steel, standard colour

U12-32 KORG backed bench, electroplated steel, standard colour

Append to product number

METAL SURFACE FINISH

When ordering, specify which of our standard colors you want:

Dark blue/Grey RAL 5008, fine texture.

Black Noir 2200 Sablé, fine texture.

Red/Orange RAL 2002 (matt clear coat), fine structure.

C for any color other than standard, at additional cost.

INSTALLATION TYPE

N for surface mount.

M for in-ground.

Standard colours



RAL 2002



RAL 5008



Noir 2200 Sablé

Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

In-ground

Cast in ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Sitskorg levereras monterad. För montage mot stativ på plats. Skruv ingår.

Bult mot mark ingår ej.

Maintenance

.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at \[nola.se/en/care-and-maintenance\]\(https://nola.se/en/care-and-maintenance\)](https://nola.se/en/care-and-maintenance)

Versions

The furniture group consists of an armchair, a table a bench and a backed bench.

Character

The Korg furniture group, made in a streamlined style and crafted in steel thread for use outdoors.

Thomas Bernstrand

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.





Från Castellums utomhuskontor WorkOut i Växjö.



Olika kulörer blandat i Västra Hamnen i Malmö.