

nola®



Vejby Furniture Group

Design Peter Brandt

Vejby's sturdy frames and solid wooden slats create stability and strength, while the angled backrests and wide seats add comfort and style. The evenly-spaced slats in the seating and table surfaces enable rainwater to run off easily. The backed bench can be paired with the armchair and table to create a dining suite or an outdoor lounge area. We recommend pairing the Hjorthagen table with the seating in this furniture group.

Can be treated with Protega Novatherm fire protection, which is a waterborne fire protection paint, for products which, for example, will be placed in connection with escape routes and entrances.

CERTIFICATION

Produkt listad i
Svanens Husportal



SundaHus



Can be treated with fire protection

Dimensions and weight

Vejby Sofa

Length: 180 cm
Width: 54 cm
Height: 84 cm
Armrest height: 67 cm
Sitting height: 45 cm

Individual dimensions

Seat board: 32 x 52 mm, 32 x 68 mm
Frame thickness: 56 mm
Back board: 32 x 160 mm
The feet are equipped with plastic paws

Vejby Table

Length: 180 cm
Width: 79 cm
Height: 73,5 cm

Individual dimensions

Wood components: 32 x 68 mm
Frame thickness: 56 mm
The feet are equipped with plastic paws

Vejby armchair

Width: 62 cm
Height: 84 cm
Armrest height: 67 cm
Sitting height: 45 cm
Depth: 54 cm

Individual dimensions

Seat board: 32 x 52 mm, 32 x 68 mm
Frame thickness: 56 mm
Back board: 32 x 160 mm
The feet are equipped with plastic paws

Product numbers and combinations

U16-47G Vejby Sofa, glazed pine, light gray
U16-55 Fastening iron for Vejby, 4 stainless steel
U16-48G Vejby table, glazed pine, light gray
U16-49G Vejby armchair glazed pine, light gray
U16-55 Fastening iron for Vejby, 4 stainless steel.

Append to product number

WOOD AND FINISH

C for any color other than standard, at additional cost.

VARIANTS

Can be treated with fire protection, at additional cost.
For fire protection treatment contact Nola.

INSTALLATION TYPE

N for surface mount.

Standard colours



NCS S 2502-Y

Materials and surface treatments

The feet are fitted with plastic caps.

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Delivered in parts for easy assembly. The seat and back bolt to the frame with the bolts provided.

Maintenance

Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Character

Vejby's solid wooden frame and sturdy slats give the furniture stability and strength, while the angled backrest and wide seat make the bench and armchair comfortable to sit in.

Designers

Peter Brandt

Peter Brandt is a designer and interior architect living in Stockholm. Educated at Kungliga Konsthögskolan, the Konstfack University College of Arts in Stockholm, Crafts and Design, and Kunstakademiets Arkitektskole in Copenhagen. He has received several awards over the years as *Excellent Swedish Design* and is represented at the *Nationalmuseum*.

