


nola®



Areal Furniture Group

Design Broberg & Ridderstråle

Inspired by a bird's eye view over the countryside, the products in the Areal Furniture group are designed with surfaces that mimic a rural landscape. The tabletop and seats are crafted from laser-cut metal panels shaped to resemble fields of crops when seen from the sky. Each panel is shaped individually and perforated with holes that catch light and cast shadows. The freestanding frame and supports provide a stable base for any active outdoor space.

CERTIFICATION



Dimensions and weight

Areal table

Length: 182 cm / 72 cm

Width: 72 cm / 72 cm

Height: 72 cm

Individual dimension

Hot-dip galvanized sheet metal: In the frame: 4 cm x 1 cm x 1.5 mm

Hot-dip galvanized sheet metal: Thickness 2 mm

Areal bench

Length: 162 cm

Width: 32 cm

Height: 45 cm

Sitting height: 45 cm

Individual dimension

Hot-dip galvanized sheet metal: In the frame: 4 cm x 1 cm x 1.5 mm

Hot-dip galvanized sheet metal: Thickness 2 mm

Product numbers and combinations

B11-06 Additional fee for choosing a non-standard colour

U17-29 Areal attachment fittings, sold individually, 4 fittings per piece of furniture

U17-30 Areal table, rectangular version, powder-coated

U17-32 Areal table, square version, powder-coated

U17-31 Areal bench, powder-coated

U17-41 Areal bench with seat in oiled oak with frame powder-coated in fine structure Pure White RAL 9010

U17- Areal bench with armrests, powder-coated

31/ARM

U17- Areal bench with armrests, seat in oiled oak with frame powder-

41/ARM coated in fine structure Pure White RAL 9010

Append to product number

WOOD AND FINISH

E for oiled oak.

MH for oiled mahogany.

METAL SURFACE FINISH

Table and bench in perforated electro-galvanized sheet steel:

B for blue Interpons Pacific Avenue 2525.

V for white RAL 9010 fine structure.

C for any color other than standard, starting cost is added.


VARIANTS

If no letter is specified for wood, you get a bench entirely in perforated electro-galvanized sheet metal.

Standard colours



RAL 9010



Materials and surface treatments

Perforated Sheet metal.

Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

The table is delivered fully assembled.

Attachment hardware is available.

Maintenance

Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil. Black stains on oiled oak can be removed with oxalic acid.

Oiled mahogany

Oiled mahogany should be oiled two times a year.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

The Areal table is available in two sizes, square or rectangular. The bench is produced in a standard size.

Character

The surfaces of the Areal table and bench are crafted from laser-cut metal panels that resemble a field of crops when viewed from above.

Designers

Broberg & Ridderstråle

Stockholm based Broberg & Ridderstråle Design & Architecture is founded and run by Mats Broberg and Johan Ridderstråle. The duo met at the University College of Arts, Crafts and Design (Konstfack) where they both studied furniture and interior design. Today they work within the fields of architecture and design. Their design method is based on the traditional craft, where they often gather inspiration from their daily lives only to then add a new twist to the design that lifts the product to a new level. Broberg & Ridderstråle have throughout the years designed numerous products and furniture series for Nola.

