nola




Arena Furniture System

Design Mattias Stenberg

Arena meets the demand for a modular furniture system that's flexible, easy to assemble, quick to take apart and easy to store. The system consists of individual seating units, side tables and planters, all designed in a uniquely streamlined style. Each seat is crafted in smooth concrete and underpinned by a slender metal base. Arena's versatility enables the system to form a wide range of constellations.

CERTIFICATION Produkt listad i Svanens Husportal



Materials and surface	Seat in "soft concrete" (fiber concrete) integrated with the metal base.
treatments	Steel Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.
	Powder coating Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.
	Electrogalvanized Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.
	Fiberbetong Fibre-reinforced concrete is a concrete mix with glass fiber. The material has increased strength and elasticity.
	Coloured concrete Colored concrete is concrete in a color other than standard grey. Pigment is added to the dry mixture, which means that the concrete becomes coloured throughout. Each color has its own recipe.
Assembly and placement	Freestanding Freestanding product that is placed directly on the ground.
	Seats and tables are mounted on the same substructure and easily connected with integrated coupling brackets.
	The seats are joined to each other via metal fasteners integrated into the bases underneath, with space for the table and planter to attach at the sides.
Maintenance	Powdercoated steel Products that are powder-coated can be touch-up painted with alkyd paint.
	GRC Can be cleaned with high-pressure flushing, low water pressure, large distance between nozzle and stone and small flushing angle selected (max. 30°). If the outermost layer of concrete is worn away, the coating will become even more susceptible to impurities in the future. Therefore, cleaning with a brush and water is preferable to the hard abrasion that repeated high-pressure washing entails.
	There are also cleaning agents for concrete that has been attacked by dirt and algae and then the concrete can be impregnated, which can also be done when the product is new.
	Both normal concrete and fiber concrete are sensitive to hard edge impacts. A concrete product that has been damaged can be repaired with polyester filler,

	for example the Plastic Padding brand.
	Coloured concrete Products made of coloured concrete are washed with a pressure sprayer at low pressure. Damaged products can be repaired with a repair kit that is available to
	order. <u>Read more in our general maintenance advice at nola.se/en/care-and-</u> <u>maintenance</u>
Versions	Modular furniture system consisting of seats, table and a planting box.
Character	The Arena modular seating system is a versatile design that's simple to assemble, quick to take apart, and easy to store.

Designers

Mattias Stenberg

Designer Mattias Stenberg runs his own designstudio in Stockholm. Stenberg works within a variety of fields including interior architecture, furniture design and light design. Since the start of the studio in 2010, Stenberg has received several awards and mentions for his designs, including German Design Award, Good Design Award and Nordic Designer of the Year.

