


nola®



## Ares Litterbin

### Design Inventarrum

As a complement to our own range, we also market products from Danish Inventarrum, which, like Nola, stands for good design in the public space. All Inventarrum's wastebaskets and ashtrays are basically stainless and powder coated. Several of the bins are also available with integrated ashtray, or matching, separate ashtray. For more information about Ares, see product sheet for download during assembly.



#### Dimensions and weight

Width: 46 cm, indragen sockel 42 cm  
 Height: 115 cm (inklusive sockeln som är 10 cm hög)  
 Ø: 46 cm

73 liters. Can also be in an XL variant on request, which then holds 100 litres.  
 Inner container of hot-dip galvanized steel 0.75 mm.

#### Product numbers and combinations

**Inventarrum Ares papperskorg** Ares without ashtray for floor mounting, top in polished stainless steel, basket and base in stainless steel. Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.

**Inventarrum Ares askkopp** Ashtray complement to litter bin

**Inventarrum Ares tillägg för pulverlack** Choose your desired RAL colour.

**Inventarrum Ares tillägg betongfundament** Choose your desired concrete for base.

#### Append to product number

##### METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

##### INSTALLATION TYPE

N for surface mount.

#### Standard colours

#### Materials and surface treatments

##### Stainless steel

Stainless steel is an iron alloy with at least 10.5% chromium that often has good resistance to corrosion (rust) and other chemical attacks. A common misconception about stainless steel is that it does not rust at all; it can in fact corrode, especially in environments near the sea with high humidity.

##### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

#### Assembly and placement

##### Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

## Maintenance

### Powdercoated steel

Products that are electro-galvanized and powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

## Examples

75 liter alt 100 liter (på förfrågan)

## Designers

---

## Inventarium

---

