nola




Bornholm Table

Design Møller & Grønborg & NATiON + KSA DESIGN

In collaboration with Danish NATiON + KSA DESIGN and Møller & Grønborg, Nola has developed a neat, small furniture group consisting of a stackable two-seater sofa and a square table.

Bornholm furniture group is environmentally assessed via <u>Byggvarubedömningen</u> and <u>SundaHus</u> (oiled mahogany).

CERTIFICATION BEGENARIU BEGENARIUS



Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement	Freestanding
	Freestanding product that is placed directly on the ground.
	Surface mount
	Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.
Maintenance	Glans 60. Pulverlack går att beställa på sprayflaska.
	Powdercoated steel
	Products that are powder-coated can be touch-up painted with alkyd paint.
	Water-based glazed pine
	Products in varnished pine must be maintained regularly with alkyd paint.
	Maintenance intervals approximately 1 time per year. Damage and cracks should
	be repaired immediately. Touch-up paints in spray packaging are available in
	standard colors to order.
	Oiled mahogany
	Oiled mahogany should be oiled two times a year.
	Read more in our general maintenance advice at nola.se/en/care-and-
	maintenance
Versions	Available as sofa and table.

Sustainability

CO₂-eq: 2,32 kg CO₂ Energy consumption: 308,50 MJ Recycled materials: 0,12 % <u>View EPD for details</u>

Designers

Møller & Grønborg



NATION + KSA DESIGN



