# nola



### Centrum Litterbin

### Design

As its name suggests, Centrum is an efficient litterbin/ashtray combination intended to stand in the centre. Attached to a freestanding base, the litterbin can be placed directly in the flow of human traffic. Whether placed in the midst of things or mounted discreetly to a wall, the litterbin's gleaming metal rim is easy to spot from a distance. Centrum provides separate fireproof receptacles for rubbish and cigarette ends.

#### Dimensions and weight

LD89050 Rectangular litterbin: Width: 43 cm. Height: 54 cm. Volume: 45 L. Weight: 11.8 kg.

LD89010 Ashtray with smoking grate: Width: 15 cm. Height: 25 cm. Depth: 12 cm.

LD89013 Ashtray with lid: Width: 15 cm. Height: 25 cm. Depth: 12 cm.

Round version (Ö16-45): Height: 44.5 cm Diameter: 32 cm Volume: 18 L. Weight: 13 kg.

LD89020 Rectangular litterbin: Width:  $36.5 \, \mathrm{cm}$ . Height:  $42.5 \, \mathrm{cm}$ . Depth:  $34.6 \, \mathrm{cm}$ . Internal dimensions: Width:  $25.6 \, \mathrm{cm}$ . Height:  $36 \, \mathrm{cm}$ . Depth:  $22.7 \, \mathrm{cm}$ . Volume:  $21 \, \mathrm{L}$ . Weight:  $7.8 \, \mathrm{kg}$ .

LD88960 Stand: Temporary/attachable. Height: 80 cm. Footplate dimensions: 40  $\times$  50 cm. Holes for fixing to the ground on request.

LD88950 Stand fixed to the ground. Height above ground: 80 cm. Cast 40 cm into the ground.

## Product numbers and combinations

LD89050 - Rektangulär papperskorg. Volym 45 liter.

LD88910 - Sopsäckshållare för Ö16-45

LD89020 - Rektangulär papperskorg. Volym 21 liter.

LD88960 - Stativ. Fristående/fastsättningsbart.

LD88950 - Stativ markfast.

LD89010 - Centrum askkopp med fimpgaller.

LD89013 - Centrum askkopp med lock.

LD88920 - Fällbart Lock för innerbehållare till Ö 16-42 45 L

LD88850 - Insatsburk till Ö16-44

LD88853 - Bygellock för Ö16-42

LD88910 - Sopsäckshållare för Ö16-45

LD88860 - Fällbart Lock för innerbehållare till Ö 16-44

LD88870 - Regnskydd till city Ö16-42 svart

LD88880 - Stolpfästen 48/60 mm

LD88930 - Lock för (Ö16-45)

LD88940 - Lock i rostfritt stål till Ö16-42,45 l

LD89070 - Regnskydd till Ö16-42

U19-38 - Startkostnad valfri färg.

### Append to product number

**INSTALLATION TYPE** 

V for mounted to wall.

#### Standard colours

## Materials and surface treatments

#### **RECTANGULAR VERSION**

The inner container is made from zinc-electroplated sheet steel with a thickness of 1.25 mm or 1.5 mm. The outer casing is made from 1.25 mm stainless steel sheet.

#### ROUND VERSION

The inner container is made from stainless steel sheet with a depth of 1.25 mm. The outer casing is made from stainless steel sheet with a depth of 2.5 mm. The frame is zinc-electroplated and powder-coated in standard colour black RAL.

#### **ASHTRAY**

The inner container is made from 1 mm black-painted, zinc-electroplated sheet steel, The outer casing is made from stainless steel sheet with a depth of 1.25 mm.

#### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

#### Stainless steel

Stainless steel is an iron alloy with at least 10.5% chromium that often has good resistance to corrosion (rust) and other chemical attacks. A common misconception about stainless steel is that it does not rust at all; it can in fact corrode, especially in environments near the sea with high humidity.

#### Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

#### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

#### Assembly and placement

#### Mounted to wall

Bolted in place to stand/wall bracket.

Bolts for walls not included.

Fully assembled.

Wall-mounted or attached to a free-standing post.

#### Maintenance

#### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Read more in our general maintenance advice at nola.se/en/care-and-maintenance

#### Versions

The rectangular litterbin is made in two sizes: 21 l or 45 l. The round litterbin is made in one size: 18 litres. The ashtray is made with a lid or a removable metal grate which lifts easily to remove cigarette ends.

#### Character

Centrum is an efficient litterbin/ashtray combination that can be fitted to a free-standing base or mounted to a wall.

