# nola



### Gå-City Double-sided Bench

### Design Tema

Gå-City is a sleek contemporary outdoor bench that makes a striking complement to modern architecture. The bench is uniquely inclusive as it provides an attractive perch for people of all ages. Gå-City offers a flat expanse of space where youths can cluster and children can play. An angled backrest and easy-grip armrest provide extra stability for those needing support when rising to their feet.

#### Dimensions and weight

Length: 400 cm Width: 100 cm Height: 46 / 85 cm Weight 530 kg

#### Individual dimensions

The base supports are made from 15 mm solid steel fitted with parts made from 5

mm thick steel

Seat slats: 81 mm x 82 mm and 31 mm x 32 mm respectively

## Product numbers and combinations

U30-00 Gå-city bench with half backrest

B11-06 Startup cost for powder coating steel in a color other than standard.

#### Append to product number

WOOD AND FINISH

MH for oiled mahogany.

#### METAL SURFACE FINISH

A for dark grey RAL 7016. B for dark brown RAL 8016.

C for any color of steel other than, at additional cost.

#### **INSTALLATION TYPE**

M for installation in pre-cast foundations.

#### Standard colours



## Materials and surface treatments

### Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

#### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

#### Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

#### Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

#### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Installation in pre-cast foundations

Posts for installation in pre-cast foundations.

Delivered pre-assembled.

Maintenance

Oiled mahogany

Oiled mahogany should be oiled two times a year.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Read more in our general maintenance advice at nola.se/en/care-and-maintenance

Versions

The bench has a half backrest and a fully assembled armrest.

Character

A sleek contemporary outdoor bench that makes a striking complement to modern architecture.

Designers

Tema





