



## Gå-City Double-sided Bench

### Design Tema

Gå-City is a sleek contemporary outdoor bench that makes a striking complement to modern architecture. The bench is uniquely inclusive as it provides an attractive perch for people of all ages. Gå-City offers a flat expanse of space where youths can cluster and children can play. An angled backrest and easy-grip armrest provide extra stability for those needing support when rising to their feet.

## Dimensions and weight

Length: 400 cm  
Width: 100 cm  
Height: 46 / 85 cm  
Weight 530 kg

### Individual dimensions

The base supports are made from 15 mm solid steel fitted with parts made from 5 mm thick steel

Seat slats: 81 mm x 82 mm and 31 mm x 32 mm respectively

## Product numbers and combinations

**U30-00** Gå-city bench with half backrest

**B11-06** Startup cost for powder coating steel in a color other than standard.

### Append to product number

#### WOOD AND FINISH

MH for oiled mahogany.

#### METAL SURFACE FINISH

A for dark grey RAL 7016.

B for dark brown RAL 8016.

C for any color of steel other than, at additional cost.

#### INSTALLATION TYPE

M for installation in pre-cast foundations.

## Standard colours



RAL 8016

RAL 7016

Oiled mahogany

## Materials and surface treatments

### Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

### Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

### Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

### Assembly and placement

#### Installation in pre-cast foundations

Posts for installation in pre-cast foundations.

Delivered pre-assembled.

### Maintenance

#### Oiled mahogany

Oiled mahogany should be oiled two times a year.

#### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

### Versions

The bench has a half backrest and a fully assembled armrest.

### Character

A sleek contemporary outdoor bench that makes a striking complement to modern architecture.

### Designers

### Tema

