




## Goggle Bicycle Rack

Design Erik Österlund

The Goggle bike rack is characterised by hot-dip galvanised steel hoops fastened to horizontal bars. The hoops are constructed from pairs of circular metal sized to hold a bicycle wheel. A range of single-sided and double-sided rack alternatives are available, making Goggle a uniquely versatile system. The hoops can be attached to a base plate, a single bar, a double-sided rack or secured to a purpose-built structure for a decorative effect. The ground-mounted single-sided version is also available with a wooden standing-seat along the top.

### CERTIFICATION





#### Dimensions and weight

##### Single-sided version

C-C distance between posts: 230 cm  
 Length including base plate: 245 cm  
 Height: 37/ 90 cm  
 Depth: 39 cm  
 Diameter of wheel holders: 31 cm  
 Wheel holder steel ribbon  $\varnothing$ : 1.2 cm  
 Vertical rail  $\varnothing$ : 7.6 cm  
 Weight of single version: 26 kg

##### Double-sided version

C-C distance between posts: 230 cm  
 Length including base plate: 245 cm  
 Height: 37/ 90 cm  
 Depth: 69 cm  
 Diameter of wheel holders: 31 cm  
 Wheel holder steel ribbon  $\varnothing$ : 1.2 cm  
 Vertical rail  $\varnothing$ : 7.6 cm  
 Weight of double version: 36 kg

##### Individual dimensions

Spread foot plate  $\varnothing$  15 cm  
 Weight of each post for installation: 8 kg

#### Product numbers and combinations

-	SINGLE-SIDED
Ö03-47/5	Goggle bicycle rack, single-sided, 5 wheel-holders
Ö03-47/4	Goggle bicycle rack, single-sided, 4 wheel-holders
Ö03-47/3	Goggle bicycle rack, single-sided, 3 wheel-holders
-	
-	DOUBLE-SIDED
Ö03-46/10	Goggle bicycle rack, double-sided, 10 wheel-holders
Ö03-46/8	Goggle bicycle rack, double-sided, 8 wheel-holders
Ö03-46/6	Goggle bicycle rack, double-sided, 6 wheel-holders

- 
- WALL-MOUNTED
- Ö03-45V/5 Goggle bicycle rack, wall-mounted, 5 wheel-holders
- Ö03-45V/4 Goggle bicycle rack, wall-mounted, 4 wheel-holders
- 
- WITH SUPPORT BOARD IN MH, single- and double-sided
- Ö03-45MH/5 Goggle, bicycle rack with support board in mahogany, single-sided, 5 wheel-holders
- Ö03-45MH/4 Goggle, bicycle rack with support board in mahogany, single-sided, 4 wheel-holders
- Ö03-45MH/10 Goggle, bicycle rack with support board in mahogany, double-sided, 10 wheel-holders
- Ö03-45MH/8 Goggle, bicycle rack with support board in mahogany, double-sided, 8 wheel-holders
- 
- STANDING SUPPORT IN STEEL, with and without bike rack, single-sided
- Ö03-45/U4 Goggle standing support in steel, length 160 cm
- Ö03-45/4 Goggle standing support in steel, single-sided 4 wheel-holders
- 
- FENCE, with and without wheel-holders (without allowing for electric scooters)
- Ö03-48/5ST Goggle bicycle fence, start section, 5 wheel-holders
- Ö03-48/4ST Goggle bicycle fence, start section, 4 wheel-holders
- Ö03-48/U5ST Goggle bicycle fence, start section, without wheel-holders, length 210 cm
- Ö03-48/U4ST Goggle bicycle fence, start section, without wheel-holders, length 160 cm

#### Append to product number

#### WOOD AND FINISH

MH for oiled mahogany.

#### METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

#### VARIANTS

The Goggle Bike Rack System consists of start and extension sections. To build with the system, a start section is needed and then extension sections can be added.

ST for start section.

PB for extension section.

RL for bike frame with frame lock.

Wall-mounted are not available as start and extension sections.

Goggle bicycle fence is a start section and can be combined with an extension section of Goggle, bicycle rack with support board in mahogany, for expansion.

#### INSTALLATION TYPE

M for in-ground.

N for surface mount.

V for mounted to wall.

Only single-sided and double-sided bicycle racks are available for surface mount.

#### Standard colours



RAL 9005



Noir 2200 Sablé



Gris 2900 Sablé



Oiled mahogany

#### Materials and surface treatments

##### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

##### Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

##### Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

##### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

##### Mahogany - FSC-certified

FSC-marked mahogany is a wood with good durability in the outdoor environment. In addition, it retains its color tone better than, for example, oak and teak. Mahogany lives and moves, sometimes more than teak.

##### Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

#### Assembly and placement

##### In-ground

Cast in ground.

##### Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

##### Mounted to wall

Bolted in place to stand/wall bracket.

Bolts for walls not included.

Some assembly required on site.

## Maintenance

### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

### Hot dip galvanized steel

Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".

### Oiled mahogany

Oiled mahogany should be oiled two times a year.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

## Versions

Available in single or double-sided versions, wall-mounted or topped with a wooden standing-seat. An extended wheel-holder with space for several locks is available.

Goggle bike racks are standard models. If you would like to combine several units to create an extended length, select the Ö03-49M model tubes for ground installation.

Please contact Nola for suggestions and advice if you would like to combine several units to create a unique configuration for a site.

## Character

The Goggle bicycle rack is made with a range of alternatives, making it a uniquely versatile system.

## Designers

Erik  
Österlund







