


nola®




## Grid Armchair

**Design Poul Christiansen & Boris Berlin, Komplot Design**

Grid's weightless shape is constructed from steel thread overlaid in a pattern that gives it a strongly contemporary profile. The chair is lightweight and comfortable, crafted in a fluid design that resonates with modern settings.

Grid's distinctive pattern is etched into the surface of the Concrete Things chair, creating two different types of chairs that complement each other perfectly.



#### Dimensions and weight

Width: 92,5 cm  
Height: 60,5 cm  
Depth: 78,5 cm  
Weight 21 kg

#### Individual dimensions

Seat, sides and back in 6 mm stainless steel wire, frame in 14 mm

#### Product numbers and combinations

**U20-97** GRID armchair, stainless steel with plastic feet caps in any RAL colour (additional charge applies)

**U20-97S** GRID armchair, black powder-coated stainless steel with plastic feet caps

**B11-06** Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.

#### Append to product number

##### METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

##### INSTALLATION TYPE

N for surface mount.

#### Standard colours

■ RAL 9005

#### Materials and surface treatments

Polyester powder-coated stainless steel wire.

##### Stainless steel

Stainless steel is an iron alloy with at least 10.5% chromium that often has good resistance to corrosion (rust) and other chemical attacks. A common misconception about stainless steel is that it does not rust at all; it can in fact corrode, especially in environments near the sea with high humidity.

##### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

#### Assembly and placement

**Freestanding**

Freestanding product that is placed directly on the ground.

**Surface mount**

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Fully assembled.

**Maintenance****Powdercoated steel**

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

**Versions**

Standard colour in black RAL 9005.

**Character**

Grid is constructed from lengths of steel thread overlaid in a pattern that gives it a weightless appearance.

**Designers**

Poul  
Christiansen



Boris Berlin, Komplot Design





