

nola®



## Hinken Planter

Design Thomas Bernstrand

The smooth contours and gleaming surfaces of this sleek design make the Hinken planter a perfect complement to contemporary spaces. The planter's efficient plastic-fibre and steel design are free of embellishments or decorative details, making it discreet enough for modern museums, galleries and other design-conscious places. Hinken is also available as a litterbin.

### CERTIFICATION



Dimensions and weight	<p>Volume: 300 L</p> <p>Top Ø: 79 cm</p> <p>Base Ø: 68 cm</p> <p>Height: 88 cm</p> <p>Weight: 44/ 28 kg</p>
Product numbers and combinations	<p>Ö30-91      Hinken planter in fibreglass</p> <p>B11-10      Additional fee for paint on fibreglass</p> <p>Ö30-91BT125      Mona irrigation tank, 25 litres</p> <p>U19-38      Additional fee for choice of non-standard colour</p>
	<p><b>Append to product number</b></p> <p><b>METAL SURFACE FINISH</b></p> <p>V for white.</p> <p>A for antracite.</p> <p>ALU for sandcast aluminium.</p> <p>ALU/P for powdercoated sandcast aluminium.</p> <p>C for any color of steel, at an additional cost.</p> <p><b>INSTALLATION TYPE</b></p> <p>N for surface mount.</p>
Standard colours	<div> <div></div> <div>RAL 9010</div> </div> <div> <div></div> <div>RAL 7016</div> </div>
Materials and surface treatments	<p><b>Recycled sand cast aluminium</b></p> <p>Aluminium recycled from scrap, hand cast in sand moulds. The energy consumption when producing recycled aluminium is about 5% of that used when producing virgin aluminium.</p> <p><b>Plastic / Fiberglass</b></p> <p>Glass fiber is often used as reinforcement in plastics to increase rigidity by coating a glass fiber fabric with a plastic, usually a polyester, which hardens and binds the glass fiber together.</p> <p><b>Powder coating</b></p> <p>Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.</p>
Assembly and placement	<p><b>Surface mount</b></p> <p>Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.</p> <p>Fully assembled.</p>
Maintenance	

#### **Sand cast aluminium**

Maintenance on aluminium is not normally needed, but make sure to wash and keep the material clean. Untreated aluminium develops a matte surface over time.

#### **Powder coated Aluminium**

Products that are powder-coated can be touch-up painted with alkyd paint if necessary.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

#### **Versions**

The planter is also available as a litterbin. The planter is made in standard colours white or anthracite and can be produced in non-standard colours for an additional fee.

#### **Character**

A sleek, contemporary planter for use both indoors and outdoors. It is also available as a litterbin.

#### **Designers**

---

##### **Thomas Bernstrand**

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.



