



Join Furniture series

Design Tengbom

Join is a versatile furniture series suitable for outdoor spaces like terraces and courtyards. The series includes benches, stools, tables, side tables, and planters. The lightweight construction of the furniture allows for easy mobility and the creation of various configurations. The higher bench with a seating height of 65 centimeters promotes active sitting.

The pieces can be easily arranged according to needs and space, with the green planters serving as islands or dividers. The furniture is made of steel with wooden details for a softer feel. The patterned perforations provide a decorative break and a consistent design element throughout the series. All components have adjustable feet for stable placement on uneven surfaces.

Dimensions and weight

Join Planter

Width: 90 cm

Height: 90 cm

Depth: 90 cm

Weight 60 kg

U80-87 Join Hanging table L: 90 cm W: 40 cm

Volume: 440 L

Dimensions

Overall dimensions: H: 90 cm L: 102 cm W: 102 cm

Handle height: 75 cm / 87 cm

Planter outer dimensions: H: 82 cm L: 90 cm W: 90 cm

Planter inner dimensions: L: 80 cm W: 80 cm D: 69 cm

Join Table

U80-81 Join Table. H: 90 cm L: 180 cm W: 90 cm. Weight: 44 kg.

U80-84 Join Table. H: 78 cm L: 180 cm W: 90 cm. Weight: 43 kg.

Join Bench

U80-82 Join Bench. H: 65 cm L: 130 cm W: 40 cm. Weight: 27 kg.

U80-85 Join Bench. H: 48 cm L: 130 cm W: 40 cm. Weight: 23 kg.

U80-85TABLE Join Bench with table. Seat height: 48 cm L: 130 cm W: 40 cm.

Table H: 23 cm Ø: 27 cm. Weight: 24.5 kg.

Join Stool

U80-83 Join Stool. H: 65 cm L: 40 cm W: 40 cm. Weight: 13.5 kg. Weight plate: 13 kg.

U80-86 Join Stool. H: 48 cm L: 40 cm W: 40 cm. Weight: 11.5 kg. Weight plate: 11 kg.

Product numbers and combinations

U11-01BESLAG Attachment hardware, 4 pc.s

U80-80 Join Planter

U80-87 Join Accessory table

U80-81 Join Table 90 cm

U80-84 Join Table 78 cm

U80-82 Join Bench 65 cm

U80-85 Join Bench 48 cm

U80-85Bord Join Bench 48 cm with table

U80-83 Join Stool 65 cm

U80-83PP Join Stool sheet metal 65 cm

U80-86 Join Stool 48 cm

U80-86PP Join Stool sheet metal 48 cm

Append to product number

WOOD AND FINISH

E for oiled oak.

METAL SURFACE FINISH

RAL 9005

C for any color other than standard, starting cost is added.

Standard colours



RAL 9005

Oiled oak

Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Join Planter is delivered assembled.

Other products in the Join Furniture series are delivered disassembled, check the assembly instructions for information on each product's individual assembly.

Join table, bench and stool can be bolted to the base if necessary. Fittings are combined with the adjustable feet and purchased separately.

Maintenance

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil. Black stains on oiled oak can be removed with oxalic acid.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Designers

Tengbom

Tengbom, established in 1906, is today one of the world's oldest and leading architecture firms in the Nordics.

With expertise spanning from interior design to urban planning, we shape communities, redefine boundaries, and make the world a better place.

Tengbom Product Design has collaborated for decades with prominent Swedish and international producers, creating high-quality, sustainable designs across a wide spectrum. Our design process always begins with identified needs. Aesthetic appeal, functionality, materiality, manufacturing techniques, and sustainability are challenged and developed. By understanding end-user requirements and gaining insight into both hard and soft values, we deliver innovative and timeless products for today and tomorrow.



