

## Kebne Signboard

Design Kauppi & Kauppi

Kebne outdoor gym includes signage with graphics and easy-to-understand icons depicting the most common strength training exercises. The graphics are inspired by the abstract mountain icon created for Kebne's logo. Its shape and profile are echoed in the shapes of the fitness units themselves, which add a sculptural element to the open landscape.

The outdoor gym is complemented by an overall sign depicting the functions and potentials of each individual fitness unit. Each unit has a corresponding sign with easy-to-understand icons that illustrate the exercises it is designed for. When ordering a complete outdoor gym (all five fitness units), the signs will display a scannable QR Code linked to Kebne's training videos on [www.summitcalisthenics.com](http://www.summitcalisthenics.com). The signage includes safety certification information so that the entire outdoor gym and individual fitness units can be inspected and approved on site.


In order for Kebne outdoor gym to be approved in an inspection according to standard SS:EN 16630, there must be a Kebne sign in connection with the facility. This applies whether you order individual units or a complete outdoor gym.

BIM models are available for this fitness unit.

For more detailed information, please see the [Kebne Brochure](#)

### CERTIFICATION

Produkt listad i  
Svanens Husportal  BYGGVARU  
BEGGRÄNSET



#### Dimensions and weight

Weight 16 kg

##### Post with sign

Post height above ground: 200 cm

Diameter post: Ø 6 cm

Sign plate: 42.4 x 60 cm

##### Individual dimensions

Sign with printed training exercises in 2 mm disc in laminated foamed Forexplast:  
41.4 x 59 cm

#### Product numbers and combinations

- Ö72-15 Signboard
- Ö72-SIGN Signprint for all 5 modules
- Ö72-SIGN 1 Signprint for Module 1
- Ö72-SIGN 2 Signprint for Module 2
- Ö72-SIGN 3 Signprint for Module 3
- Ö72-SIGN 4 Signprint for Module 4
- Ö72-SIGN 5 Signprint for Module 5
- Ö72-SIGN C Signprint SPECIAL for desired number of modules
- Ö72-16N Attachment mountings 4 pcs/ set, ABOVE ground level
- Ö72-16M Attachment mountings 4 pcs/ set, BELOW ground level
- Ö72-09 Kebne Outdoor gym modules 1-5, incl. signboard
  
- B11-08 Start-up fee for other wood materials than the standard option
- B11-06 Start-up fee for other steel powdercoating colors than standard, use a RAL color

#### Append to product number

##### WOOD AND FINISH

ACC for accoya.

##### METAL SURFACE FINISH

GR for grey RAL 7016 antracit.

Yellow for yellow RAL 1023.

VR for red RAL 3009.

C for any color other than standard, starting cost is added.

##### INSTALLATION TYPE

N for surface mount.

M for installation in pre-cast foundations.

## Standard colours



## Materials and surface treatments

### Accoya

Accoya® wood is the result of more than 80 years of research and development into modifying wood through an acetylation process. Accoya® wood is Radiata pine, a fast-growing wood virtually free of knots that is harvested from renewable FSC-certified forests. Accoya® wood has properties that match or exceed those of tropical woods and the treatment process is non-toxic. The pale wood will turn grey over time and may develop dark spots over time. Accoya® can withstand humid and rainy environments very well and expands/contracts less than other tropical-type woods.

### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

### Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

## Assembly and placement

### Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

### Installation in pre-cast foundations

Posts for installation in pre-cast foundations.

Bolts to the ground with screws (not included in the delivery). When assembled and fixed into the ground (need to be mounted to foundation 20 cm under ground or above ground).

## Maintenance

### Accoya

Accoya is maintenance-free and does not require any special treatment to preserve its unique properties. If black spots should appear on the wood from pollution in the air, these are easily removed with any kind of furniture wash.

### Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

## Versions

Available as a collection plate and as an individual variant for each module 1-5.  
Standard colors: Gray RAL 7016 antracit, Yellow RAL 1023 och red RAL 3009.

## Designers

### Kauppi & Kauppi

Kauppi & Kauppi is a designer duo with roots in the very north and south of Sweden. Johan & Nina have both earned their MFA degree at the *Academy of Design & Crafts at The University of Gothenburg*. In 2016 they established the shared design studio in Sweden, after living several years in New York and Frankfurt.

The studio approaches design in all scales, from spatial projects to tactile objects in the hand's scale. The studio's design philosophy is identified by a search for a pure and restrained design, celebrating the added values that makes a project unique and genuine. The inspiration is often found in the contrasts, between north and south and in the dynamic between tranquil nature and pulsing cityscapes.

Kauppi & Kauppi has attracted international attention through publications and several design awards such as *Swedish Design Awards*, *Archiproduct Design Award*, *Muuuz International Design Awards* and three *German Design Award Gold*, to mention some of their honourable highlights.

