




Krus Planter and Water Feature

Design Bernt Fröderberg

Krus is a sleek aluminium planter with subtle ridges tracing its surface. Although its smooth form resembles the ceramic vessels shaped on a pottery wheel, it is actually made from recycled aluminium. Krus can be placed atop a corresponding pillar to double its height, or placed directly on the ground. It can be fitted with an inner container and water pump to turn it into a fountain or water feature.



Dimensions and weight

Planter Diameter of planter: 101 cm. Height: 33 cm. Weight: 64 kg. Volume: 90 L.

Pillar Diameter of plinth: Ø 31 cm. Height: 78 cm. Weight: 21 kg.

Planter + Pillar Overall height with planter: 111 cm. Diameter of base: Ø 27 cm.
Height of base: 50 cm.

Product numbers and combinations

Ö16-00 Krus planteringsskål, obehandlad lättblästrad aluminium

Ö16-01 Pedestal till planteringsskål Krus, obehandlad lättblästrad aluminium

Ö16-02 Krus, markfundament.

Ö16-00BT6 Planteringsinsats, 6 liter.

Ö16-00BT4 Bevattningsstank.

Append to product number

METAL SURFACE FINISH

S for black, RAL 9005.

MG for metallic grey.

C for any color other than standard, starting cost is added.

INSTALLATION TYPE

M for installation in pre-cast foundations.

N for surface mount.

Standard colours



RAL 9005

Materials and surface treatments

Recycled sand cast aluminium

Aluminium recycled from scrap, hand cast in sand moulds. The energy consumption when producing recycled aluminium is about 5% of that used when producing virgin aluminium.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Installation in pre-cast foundations

Posts for installation in pre-cast foundations.

Some assembly required.

Maintenance**Sand cast aluminium**

Maintenance on aluminium is not normally needed, but make sure to wash and keep the material clean. Untreated aluminium develops a matte surface over time.

Powder coated Aluminium

Products that are powder-coated can be touch-up painted with alkyd paint if necessary.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Available in standard colours black or grey or with untreated aluminium surfaces. Non-standard colours are available upon request.

Character

Krus is a uniquely versatile planter. It can be placed on a pillar to double its height or transformed into a fountain or decorative water feature.

Designers**Bernt Fröderberg**

Bernt Fröderberg is a landscape architect MSA with long and broad experience. The projects span everything from private gardens, homes, parks to complex road environments.

— In my role as a designer, I hope to be able to bring a care for the built details in the green environment that enhances the final impression even in relatively everyday construction projects. The importance of well-designed solutions in the slightly more prestigious assignments can hardly be underestimated. My starting points in the design work are, among other things, to use renewable materials and to give the built detail a long life.



