


nola®



## Loj Sun Lounger

**Design Thomas Bernstrand**

With its comfortable seat and reclining shape, Loj is made with relaxation in mind. Its fabric seat marks a shift away from the wood, metal and concrete traditionally used in public space seating. The recliner offers a range of different reclining positions. The fabric is water- and UV-resistant, making it robust enough to withstand the summer sunshine and tough enough to remain outdoors year-round.



#### Dimensions and weight

Width: 70 cm  
Height: 96 cm  
Sitting height: 43 cm  
Depth: 98 cm  
Weight 29 kg

#### Product numbers and combinations

U17-64 Loj sun chair  
B11-06 Startup cost for powder coating steel in a color other than standard

#### Append to product number



##### METAL SURFACE FINISH

C for any color other than standard, starting cost is added.

##### INSTALLATION TYPE

M for installation in pre-cast foundations.  
N for surface mount.

#### Standard colours

 RAL 7009  
 RAL 1023

#### Materials and surface treatments

Powder coated steel in colour green/grey RAL 7009.

Other colours upon request, start up fee.

Seat in fabric, Sunbrella slim Logan (available in other Sunbrella fabrics upon request. )The fabric is lightweight and offers long durability, is resistant to bleaching and damage from exposure to the sun's rays and chemicals.

##### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

##### Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

### **Electrogalvanized**

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

### **Assembly and placement**

#### **Surface mount**

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

#### **Installation in pre-cast foundations**

Posts for installation in pre-cast foundations.

Delivered in flat packages. Needs to be screw into desired position and bolted to the ground.

Groundmounted or bolted to the ground.

### **Maintenance**

The fabric seat can be disassembled and washed.

#### **Powdercoated steel**

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

### **Versions**

The backrest of the Sunchair is fully adjustable in three reclining positions.

### **Character**

Sunchair designed with relaxation in mind, and backrest fully adjustable in three reclining positions.

### Thomas Bernstrand

Designer Thomas Bernstrand, who owns his own design studio in Stockholm, has participated in a large number of design and art exhibitions around the world such as MoMA in New York, Colette in Paris, Biennale Design Saint-Etienne and others.

Bernstrand has received several awards for his work, including Excellent Swedish Form and Winner of the Good Design Award 2012 for Nolastolen Share. For Nola, Bernstrand has designed a large number of products and furniture series and participated in a number of special projects over the years.



*On Torsgatan in Stockholm, you can see the yellow sun loungers Loj and Four Season weather protection, both designed by Thomas Bernstrand. Photo: Jann Lipka.*