

nola®




Minimal Table

Design Ola Rune & Eero Koivisto

This streamlined table is designed for indoor entertaining. As the name implies, the table and the corresponding bench are minimal in style. When it comes to value, comfort and durability, both are maximal in performance. Minimal's simplicity will suit almost any interior, providing designs that are easy to maintain, stack and store away.

CERTIFICATION





Dimensions and weight

Length: 121 cm

Width: 70 cm

Height: 70 cm

Weight 35 kg

Individual dimensions

Steel frame: 40 mm x 40 mm x 2 mm

Product numbers and combinations

U13-28 Minimal table, oiled oak, varnished steel frame in black, indoors only.

U13-28C Minimal table, oiled oak, varnished steel frame in any color, indoors only.

U13-29B Minimal table, top in white-oiled beech. Varnished steel frame in any color. Indoors only.

B11-06 Startup cost for powder coating steel in a color other than standard. Choose a RAL colour.

Append to product number

WOOD AND FINISH

E for oiled oak.

METAL SURFACE FINISH

C for optional color for a standard fee.

INSTALLATION TYPE

N for surface mount.

Standard colours



RAL 9005 finstruktur

Oiled oak

Materials and surface treatments

The tabletop is in oiled oak. The frame is made in steel powder-coated in black RAL 9005.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Wood oil

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Fully assembled.

Maintenance

Oiled oak

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil. Black stains on oiled oak can be removed with oxalic acid.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

The tabletop is made in oiled oak and the frame is made in steel powder-coated.

Character

The Minimal table is easy to maintain, stack and store. Its streamlined design suits almost any interior.

Designers

Ola Rune



Eero Koivisto

