


nola[®]



Nook Bench

Design Almén Gest Design

This striking wooden bench is an exploration of geometric shapes that tilt and angle its surfaces into an aerodynamic shape. Nook is a four-seater bench that can separate into two parts to form a three-seater bench and an individual stool. Both pieces are crafted in solid oak to create a high-quality indoor bench. Nook is durable enough for use in indoor public areas.



Dimensions and weight

Length: 140 cm sittytta 120 cm, 65 cm sittytta 45 cm
 Width: 35 cm
 Height: 45 cm

LONG BENCH

Total length: 140 cm
 Seat length: 120 cm
 Width: 35 cm
 Height: 45 cm
 Thickness: 5 cm
 Weight: 24 kg

SHORT LENGTH

Total length: 65 cm
 Seat length: 45 cm
 Width: 35 cm
 Height: 45 cm
 Thickness: 5 cm
 Weight: 15kg

Product numbers and combinations

U13-38 Nook bench 65 cm
 U13-39 Nook bench 140 cm
 U13-38-1 Nook, attachment hardware

Append to product number




WOOD AND FINISH

E for stained or clear-laquered oak.
 A for stained or clear-laquered pine.
 S for black-stained oak.
 V for white-stained oak.

INSTALLATION TYPE

N for surface mount.

Standard colours

 Clear lacquered oak
 Black-stained and clear-lacquered oak
 White-stained and clear-lacquered oak

Materials and surface treatments

Clear lacquered massive oak.

Solid oak or solid pine, stained or clear-varnished.

Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Fully assembled.

Maintenance

Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Stained or clear-lacquered oak, or pine.
For indoor use only.

Character

A streamlined bench that divides into two seats, and resembles an expression of geometry more than seating design.

Designers

Almén Gest Design

