nola



Ortho Furniture Group

Design Inventarrum

Som ett komplement till vårt eget sortiment marknadsför vi även produkter från Danska <u>Inventarrum</u>. Inventarrum arbetar liksom Nola för hög design och god tanke i det offentliga rummet. För mer information om Ortho se produktblad för nedladdning under montering.



Our FSC-labeled Jatoba is an untreated, very hard, and strong hardwood with a long shelf life. It has a brown color with black accent stripes that changes to a deep and rich red color over time.

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Maintenance	Jatoba
	Jotoba basically requires no maintenance apart from regular wiping down.
	Powdercoated steel
	Products that are powder-coated can be touch-up painted with alkyd paint.
	Hor dip galvanized steel
	Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".
	Read more in our general maintenance advice at nola.se/en/care-and-
	maintenance

Designers

Inventarrum





