

nola®



Siri Trellis

Design Bernt Fröderberg

Siri is a freestanding steel trellis that lends itself to a number of different applications. On its own, Siri provides an eye-catching frame that moulds plants into a topiary shape. Place several in a row, and they resemble freestanding columns, or line both sides of a path. Siri is also an attractive complement to flower beds, containers and large planters.

Dimensions and weight

Small Siri

Height above ground: 212 cm

Height when placed inside a planter: 266 cm

Largest Ø: 55 cm

Weight: 16 kg

Large Siri

Height above ground: 311 cm

Height when placed inside a planter: 398 cm

Largest Ø: 82 cm

Weight: 40 kg

Individual dimensions

Pipe steel: 25 mm x 2 mm

The rings of flat steel: 50 mm x 3 mm

Product numbers and combinations

Ö20-16 Siri växtstöd, 266 cm

Ö20-15 Siri växtstöd, 391 cm

Append to product number

METAL SURFACE FINISH

V for only hot-dipped galvanised.

VL for hot-dipped galvanised with a black-lacquer finish.

Standard colours



RAL 9005



Hot-dip galvanized steel

Materials and surface treatments

Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

Hot-dip galvanized

Hot-dip galvanizing provides very strong protection against corrosion. The steel is dipped into a bath of hot liquid zinc. The zinc attaches and creates a surface coating on the steel part, which is then taken out of the bath and drained of excess zinc.

Powder coating

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

Assembly and placement

Fully assembled.

The trellis is made with extended supports for mounting to the ground. Note that when placed into a container or a planter, the trellis must be extended through the bottom and mounted to the surface below, making it necessary to puncture the container to push the ground-mounting supports through to the surface beneath.

Maintenance

Glans 40. Pulverlack går att beställa på sprayflaska.

Powdercoated steel

Products that are powder-coated can be touch-up painted with alkyd paint.

Hot dip galvanized steel

Hot-dip galvanized can be touch-up painted with so-called "cold galvanizing".

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Available in two sizes: a large version for ground-mounting and a smaller version for placing in containers and large planters. Both versions should be secured to the surface beneath them, making it necessary to puncture the container and push the ground-mounting supports through to the surface beneath.

Character

Siri is a freestanding trellis that moulds plants into a topiary shape. It is an attractive complement to flower beds, containers and large planters.

Designers

Bernt Fröderberg

Bernt Fröderberg is a landscape architect MSA with long and broad experience. The projects span everything from private gardens, homes, parks to complex road environments.

— In my role as a designer, I hope to be able to bring a care for the built details in the green environment that enhances the final impression even in relatively everyday construction projects. The importance of well-designed solutions in the slightly more prestigious assignments can hardly be underestimated. My starting points in the design work are, among other things, to use renewable materials and to give the built detail a long life.





