# nola



## Vejby Furniture Group

## Design Peter Brandt

Vejby's sturdy frames and solid wooden slats create stability and strength, while the angled backrests and wide seats add comfort and style. The evenly-spaced slats in the seating and table surfaces enable rainwater to run off easily. The backed bench can be paired with the armchair and table to create a dining suite or an outdoor lounge area. We recommend pairing the Hjorthagen table with the seating in this furniture group.

#### **CERTIFICATION**

Produkt listad i Svanens Husportal ® BYGGVARU Svanens Husportal

#### Dimensions and weight

### Vejby Sofa

Length: 180 cm Width: 54 cm Height: 84 cm

Armrest height: 67 cm Sitting height: 45 cm

### Individual dimensions

Seat board: 32 x 52 mm, 32 x 68 mm

Frame thickness: 56 mm Back board: 32 x 160 mm

The feet are equipped with plastic paws

### Vejby Table

Length: 180 cm Width: 79 cm Height: 73,5 cm

### Individual dimensions

Wood components: 32 x 68 mm Frame thickness: 56 mm

The feet are equipped with plastic paws

## Vejby armchair

Width: 62 cm Height: 84 cm

Armrest height: 67 cm Sitting height: 45 cm Depth: 54 cm

Septili. 5 i cili

#### Individual dimensions

Seat board: 32 x 52 mm, 32 x 68 mm

Frame thickness: 56 mm Back board: 32 x 160 mm

The feet are equipped with plastic paws

## Product numbers and combinations

<u>U16-47G</u>	Vejby Sofa, glazed pine, light gray
<u>U16-55</u>	Fastening iron for Vejby, 4 stainless steel
<u>U16-48G</u>	Vejby table, glazed pine, light gray
<u>U16-49G</u>	Vejby armchair glazed pine, light gray
U16-55	Fastenina iron for Veibu. 4 stainless steel.

## Append to product number

## WOOD AND FINISH

C for any color other than standard, at additional cost.

## INSTALLATION TYPE

N for surface mount.

#### Standard colours

NCS S 2502-Y

## Materials and surface treatments

The feet are fitted with plastic caps.

#### Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

#### Water-based glaze

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

#### Assembly and placement

#### Freestanding

Freestanding product that is placed directly on the ground.

#### Surface mount

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Delivered in parts for easy assembly. The seat and back bolt to the frame with the bolts provided.

#### Maintenance

#### Water-based glazed pine

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

Read more in our general maintenance advice at nola.se/en/care-and-maintenance

## Character

Vejby's solid wooden frame and sturdy slats give the furniture stability and strength, while the angled backrest and wide seat make the bench and armchair comfortable to sit in.

### Designers

### Peter Brandt

Peter Brandt is a designer and interior architect living in Stockholm. Educated at Kungliga Konsthögskolan, the Konstfack University College of Arts in Stockholm, Crafts and Design, and Kunstakademiets Arkitektskole in Cophenhagen. He has received several awards over the years as  $\it Excellent Swedish Design$  and is represented at the  $\it National museum$ .





