

nola®



Marte Planter

Design Bellitalia

Marte is a large and solid planting vessel from Bellitalia made of concrete with white granite crusher or cast stone with marble crusher. The surface can be elegantly polished to a high sheen or bush-hammered to provide a more tactile appearance. Elegant and robust, it works excellently as a traffic barrier at entrances and pedestrian streets and for plantings, even for smaller trees. Suitable for parks, streets and squares or public places. Irrigation systems are available as a supplement.

Dimensions and weight

Height: Inner: 98 cm. Ytter: 110 cm

Ø: Inner: 140 cm. Ytter: 190 cm

Vikt: 3005 kg

Volume: 1225 liter

Product numbers and combinations

Marte 1 Planteringskärl, polerad gjuten sten med vit granitkross

Marte 2 Planteringskärl, krysshamrad gjuten sten med vit granitkross

Marte 3 Planteringskärl, polerad gjuten sten med marmorkross (P, G, S, R, V, C, B)

Marte 3 Planteringskärl, krysshamrad gjuten sten med marmorkross (P, G, S, R, V, C, B)

Marte 4 Planteringskärl, polerad gjuten sten med grön marmorkross

Marte 5 Planteringskärl, krysshamrad gjuten sten med grön marmorkross

Append to product number

VARIANTS

Specify for cast stone with crushed marble.

P for Porfyr reconstituted marble.

G for Gul Mori reconstituted marble.

S for Black Ebony reconstituted marble.

R for Red Verona reconstituted marble.

V for Venetian reconstituted marble.

C for White Carrara reconstituted marble.

B for Botticino reconstituted marble.

Standard colours

Materials and surface treatments

Reconstituted natural marble stones

Reconstituted natural marble stones are using a base of cement and aggregates of highly prized natural marble stones of various sizes. This gives us a material with the beauty of natural stone combined with the technical characteristics of concrete. To produce the marble stone conglomerate, white cement is mixed with inert materials of various size from Italian marble quarries. The dust from the same natural stone gives the products its characteristic final color.

Reconstituted granite

Reconstituted granite consists of a cement base and river-based aggregates of various sizes. This gives us a material with the beauty of natural stone combined with the technical characteristics of concrete. To produce grey granite, cement is used with inert materials from local quarries. To produce white granite, white cement is used with white inert materials from local quarries.

Polishing

The material is polished manually, or mechanically with robotic machines, to remove the surface layer and give the product an elegant, shiny and bright look.

Bush-hammering

The bush-hammered finishing breaks the surface stones, giving the product a rough appearance that brings out the best of the fine aggregates that compose it.

General finishing Bellitalia

All visible surfaces are covered with a transparent protective anti-decay coating that prevents water absorption ensuring inalterability of the product over time and protect it from erosion by atmospheric pollutants and by the formation of frost and mold. On request, the goods can be treated with nanotechnology products or with anti-graffiti varnish, which facilitates the removal of any signs of vandalism carried out with permanent markers or spray.

Assembly and placement

Freestanding

Freestanding product that is placed directly on the ground.

The pot has a steel reinforcement and is equipped with lifting hooks to facilitate installation.

Maintenance

Bellitalia Reconstituted stones

The materials are extremely durable that requires minimal maintenance. This purely consist of the treatment of the surface with very fine abrasive paper and in the re-application of one or more coats of acrylic protective varnish. In case of accidental chipping of the artifacts made of conglomerate, Bellitalia provides a repair kit consisting of a bi-component material the same as the original. To apply simply clean the chipped area, removing any dust or deposits and then apply the paste-component. Once the drying time is completed, it is sufficient to apply a coat of transparent acrylic anti-decay varnish.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

Versions

Available as large, medium and small.

Character

Solid planting vessel for traffic obstruction and for plantings.

Designers

Bellitalia

