

nola®




## Cane Park Bench

**Design Broberg & Ridderstråle**

The beauty of this design can be found in the details and in its ability to enhance the surroundings. The Cane Park Sofa has elegant details and a new take on the classic wooden rib seat. Cane seats two and is suitable for both small spaces and large-scale environments. An attachable tabletop can be ordered separately. Cane has been environmentally certified by Byggvarubedömningen (the Swedish Building Products Assessment Association).

### CERTIFICATION





#### Dimensions and weight

Length: 140 cm

Height: U19-05 = 96 cm / U19-06 = 105 cm. Bordshöjd-Tabletop height = 74 cm

Armrest height: U19-05A = 71 cm / U19-06A = 71.5

Sitting height: 47 cm

Ø: 30 cm tabletop

Depth: U19-05 = 80 cm / U19-05A = 80 cm / U19-06 = 71 cm / U19-06A = 71 cm / U19-06M = 71 cm

U19-05 Vikt: 42 kg

U19-06 Vikt: 39 kg

#### Individual dimensions

Leg construction in square tube 30 x 20 mm

Rolled seat bracket in 5 mm sheet metal

Dimension wood 30 x 30 mm

#### Product numbers and combinations

- U19-05** Cane with sloping backrest, without armrests, 140 cm length
- U19-05A** Cane with sloping backrest, with armrests, 140 cm length
- U19-06** Cane upright version without armrests, 140 cm length
- U19-06A** Cane upright version with armrests, 140 cm length
- U19-06M** Cane upright version, no armrests, ground-mounted, 140 cm length
- U19-06MA** Cane upright version with armrests, ground-mounted, 140 cm length
- B11-06** Additional fee for choosing a non-standard colour

#### Append to product number

##### WOOD AND FINISH

SIOO for sioo:x treatment oak.

ACC for accoya.

BU for bamboo - fsc-certified.

##### METAL SURFACE FINISH

C for any color of steel, at an additional cost.

#### VARIANTS

BM for Table + extra stand for Cane. Placed in the center of the park bench.

BV for Table to Cane. Placed on the left side of the park bench when viewed from the front.

BH for Table to Cane. Placed on the right side of the park bench when viewed from the front.

Fixed stand that is cast into the ground (upright Cane only).

For armrests for this model contact us at Nola.

#### INSTALLATION TYPE

N for surface mount.

M for in-ground.

#### Standard colours



RAL 7011



RAL 9005



SiOO:X treatment oak



Accoya

#### Materials and surface treatments

##### Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

##### Bamboo - FSC-certified

Marine Bamboo is FSC® certified, meaning it comes from sustainable forestry. It also has minimal environmental impact, as bamboo grows quickly and the entire plant can be used.

Marine Bamboo is a material with exceptional hardness, making it resistant in challenging environments. It is made from bamboo and pressed under high pressure to give it its hardness. Marine Bamboo meets the resistance class according to EN 350 and is very resistant to soil and water. It maintains its properties all year round, regardless of temperature and humidity, and is therefore suitable for outdoor furniture, park benches and marine environments.

The material has a lower moisture content than traditional wood materials and exhibits almost no dimensional movement in varying weather conditions.

For more information, visit <https://marinebamboo.se/>.

##### Accoya

Accoya® wood is the result of more than 80 years of research and development into modifying wood through an acetylation process. Accoya® wood is Radiata pine, a fast-growing wood virtually free of knots that is harvested from renewable FSC-certified forests. Accoya® wood has properties that match or exceed those of tropical woods and the treatment process is non-toxic. The pale wood will turn grey over time and may develop dark spots over time. Accoya® can withstand humid and rainy environments very well and expands/contracts less than other tropical-type woods.

#### **SiOO:X treatment**

SiOO:x is a wood protection with environmentally friendly silicon technology. Water-based and biocide-free. We use SiOO mainly for our oak furniture. SiOO:x treatment of is suitable for all woods, outside as well as inside, and gives a light surface without pigments. The surface is UV-resistant, water-repellent and non-stick. Active and preventive action against algae, mould and pests. Also rot-proof, wood-strengthening and fire-retardant. This wood protection provides long durability and easy maintenance.

#### **Steel**

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

#### **Electrogalvanized**

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

#### **Powder coating**

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

### **Assembly and placement**

#### **Freestanding**

Freestanding product that is placed directly on the ground.

#### **In-ground**

Cast in ground.

#### **Surface mount**

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

### **Maintenance**

#### **SiOO:X treatment oak**

SiOO:x-treated products are treated twice upon delivery; once with a wood protection (Premium Träskydd Altan) and once with a surface protection (Premium Ytskydd Altan). After 12 - 18 months, for best durability, the surface should be treated once more with SiOO:x Premium Ytskydd Altan. It is important to keep the product clean, otherwise the surface protection can be destroyed. Products that are exposed to heavy mechanical wear may need extra treatments. The surface treatment has a tested effect according to the standards EN 46 and EN 113.

For information about the SiOO treatment see the website [www.sioox.se](http://www.sioox.se).

#### **Accoya**

Accoya is maintenance-free and does not require any special treatment to preserve its unique properties. If black spots should appear on the wood from pollution in the air, these are easily removed with any kind of furniture wash.

#### **Powdercoated steel**

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

#### Versions

Cane is available with a sloping backrest or with an upright backrest. Cane is also available as an upright double-sided backed bench.

#### Character

Cane is a contemporary bench characterised by classic elegance. Cane is a perfect choice for environments that are short on space, yet big on style.

#### Sustainability

CO<sub>2</sub>-eq: 3,91 kg CO<sub>2</sub>  
Energy consumption: 2393,90 MJ  
Recycled materials: 0,15 %  
[View EPD for details](#)

#### Designers

---

##### Broberg & Ridderstråle

Stockholm based Broberg & Ridderstråle Design & Architecture is founded and run by Mats Broberg and Johan Ridderstråle. The duo met at the University College of Arts, Crafts and Design (Konstfack) where they both studied furniture and interior design. Today they work within the fields of architecture and design. Their design method is based on the traditional craft, where they often gather inspiration from their daily lives only to then add a new twist to the design that lifts the product to a new level. Broberg & Ridderstråle have throughout the years designed numerous products and furniture series for Nola.







