

nola®



## Paxa Light Furniture Group


### Design Blenda Design

The Paxa Light furniture group is a stylish alternative to the original Paxa series. Paxa Light has a "lighter" and more minimalist design than the other products in the Paxa family. The group includes a bench and table for indoor and outdoor environments.

Can be treated with Protega Novatherm fire protection, which is a waterborne fire protection paint, for products which, for example, will be placed in connection with escape routes and entrances.



Can be treated with fire protection



## Dimensions and weight

### Paxa Light bench

Length: 166 cm  
 Width: 50 cm  
 Height: 81 cm  
 Sitting height: 47 cm  
 Vikt: 65 Kg

#### Individual dimensions

Wood components: Seat: 32 x 32 mm och 32 x 60 mm  
 Steel construction: 10 mm och 4 mm

### Paxa Light Table

Length: 166 cm  
 Width: 70 cm  
 Height: 75 cm

#### Individual dimensions

Wood components: Seat: 32 x 32 mm och 32 x 60 mm  
 Steel construction: 10 mm och 4 mm

## Product numbers and combinations

**B11-05** Additional fee for choice of non-standard wood  
**B11-06** Additional fee for choice of non-standard RAL paint powder-coated on steel  
**B11-07** Additional fee for choice of non-standard paint for wooden parts

**U20-77** Paxa Light bench, length 166 cm  
**U20-77/RYGG** Paxa Light backrest  
**U20-79** Paxa Light armrest  
**U20-77C/PÅBYGG** Paxa Light bench additional section for extending the length  
**U20-77B** Paxa Light in painted beech with rubber protectors on base, for indoor use only  
**U20-77B/PÅBYGG** Paxa Light in painted beech additional section for extending the length, rubber protectors on base, for indoor use only  
**U20-78B** Paxa Light table 180 cm

### Append to product number

#### WOOD AND FINISH

EK for oiled oak.  
 IPE for ipé.  
 G for glazed pine, dark grey NCS 8502-B.

GB for painted beech, dark grey NCS 8502-B (indoor use only).  
C for glazed pine in any choice of colour alt powder-coated frame.  
CB for glazed beech in any choice of colour (indoor use only).  
C for another color other than standard, starting cost is added.

When choosing painted wood, select an NCS colour. When choosing wood and steel parts in the same colour, choose a RAL colour for both.

#### METAL SURFACE FINISH

C for another color other than standard, starting cost is added.





#### VARIANTS

Can be treated with fire protection, at additional cost.  
For fire protection treatment contact Nola.

#### INSTALLATION TYPE

N for surface mount.

#### Standard colours

	RAL 9010
	NCS S 8502-B
	Gris 2900 Sablé
	Noir 2200 Sablé

#### Materials and surface treatments

##### Pine

Nola's pine is of high quality and comes from sustainable forestry. Pine is an environmentally friendly, domestically produced material. Damaged or untreated pine is quite easily attacked by decomposition processes; therefore, it is particularly important to repair damaged surfaces.

##### Ipé

Our FCS-marked Ipé is an extremely hard wood thanks to its high density. The hardness gives remarkably high physical durability and resistant to the effects of sun, rain, and other weather over decades.

##### Beech

The wood of the beech is hard and tough. The wood is striated, which means that the grains are evenly distributed over the entire annual ring. The annual rings are visible, and the wood has an even structure. The color of the wood is yellow, red or brownish-white.

##### Oak

Oak is a heavy, hard and medium tough wood. Moderately dimensionally stable in case of moisture changes. Oak wood blackens if it is exposed to moisture or wetness for a long time. However, it does not affect the other properties of the wood. Thanks to its hardness and toughness, the oak wood is suitable for furniture and other use in exposed environments.

##### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

**Wood oil**

Wood oil provides good protection against the stresses of the outdoor climate and at the same time highlights the wood's natural appearance and properties.

**Water-based glaze**

Varnishing of wood is done with a water-based varnish. A water-based paint that is kinder to the environment. Under normal use, the paint has a good wear resistance and long durability.

**Electrogalvanized**

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

**Powder coating**

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

**Assembly and placement****Freestanding**

Freestanding product that is placed directly on the ground.

**Surface mount**

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

Delivered in parts for assembly on site. Tabletops, seats and backrests are delivered for final assembly on site with the screws provided. Bolts for securing the products to the surface are not included.

**Maintenance**

Stain glazed beech with water-based interior paint. It is important to prime if the primer has been worn off and the wood is open. Apply the paint in the NCS colour in which you purchased the furniture. The gloss should be 30.

**Oiled oak**

Oiled oak should be oiled twice a year for best protection. Good maintenance can never completely prevent stains from occurring, but oak that is not maintained will turn blacker and turn gray faster, but it still has a very long life. When re-oiling products, a finely boiled oil that penetrates the wood should be chosen over a film-forming oil.

**Ipé**

Ipé has a durability of up to 40 years if it is not treated with more than normal care. With regular oiling once a season with wood oil, the durability is up to 100 years. Untreated Ipé will turn from reddish brown to a more silver gray color over time. If you want to keep the brown color, it must be treated and maintained with wood oil.

**Water-based glazed pine**

Products in varnished pine must be maintained regularly with alkyd paint. Maintenance intervals approximately 1 time per year. Damage and cracks should be repaired immediately. Touch-up paints in spray packaging are available in standard colors to order.

**Powdercoated steel**

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

**Versions**

Table and bench, benches available with or without backrests or armrests.

**Designers**

---

**Blenda Design**

Blenda is a designstudio based in Gothenburg, committed to designing furniture for public spaces. With design that works towards both interiors and urban exteriors, they have participated in many projects in the recent years. The products can be found across Sweden, for example in Stavanger Cultural Center, Museum of Modern Art in Stockholm, Arlanda Airport and Gothenburg City library. The studio is run by landscape architect Katarina Gunnarsson and Ingemar Holmlid.







