



## Solliden Park Bench


Design Björn Dahlström

The Solliden park bench consists of a row of individual, interconnected seats supported by a lateral beam. Solliden suits a range of indoor and outdoor applications, such as transportation hubs, conference centres and auditoriums. The seat's open-weave construction provides the comfort of a sprung seat and enables water to run off quickly.


### CERTIFICATION



### FEATURES



Designed for accessibility



#### Dimensions and weight

Width: 180 cm  
Height: 86 cm  
Sitting height: 48 cm  
Depth: 59 cm

Frame made of steel tube  $\varnothing$  22 x 2 mm, stand made of square steel 75 x 75 cm.

#### Product numbers and combinations

U11-75 Solliden park bench  
B11-06 Startup cost for powder coating steel in a color other than standard.  
Choose a RAL colour.

#### Append to product number

##### METAL SURFACE FINISH

GR for green RAL 6005.  
G for gray RAL 7035.  
C for any color other than standard, at additional cost.

##### VARIANTS

Cushion for chair  
G = Upholstery gray  
S = Cushion Black

##### INSTALLATION TYPE

N for surface mount.

#### Standard colours



#### Materials and surface treatments

##### Steel

Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.

##### Electrogalvanized

Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.

#### **Powder coating**

Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.

#### **Assembly and placement**

##### **Surface mount**

Can be bolted above ground, to the floor or to a cast-in-place foundation. Bolts not included.

#### **Maintenance**

##### **Powdercoated steel**

Products that are powder-coated can be touch-up painted with alkyd paint.

[Read more in our general maintenance advice at nola.se/en/care-and-maintenance](https://nola.se/en/care-and-maintenance)

#### **Versions**

Available in freestanding chairs and as a backed bench.

Standard colours Green RAL 6005 and Grey RAL 7035.

Other colours are available for an additional fee.

#### **Character**

The open weave construction of the seat and backrest enable water to run off quickly while providing the comfort of a sprung seat.

#### **Designers**

---

##### **Björn Dahlström**

Björn Dahlström is a Swedish designer and industrial designer. He started his company in 1982 concentrating on graphic design for big Swedish clients. Today he is a well established designer with a wide range of products such as furniture, bicycles, carpets, cookware and toys.

Dahlström has received a number of Awards and prizes during the years, both nationally and internationally, including several Excellent Swedish Design (Utvecklet Svensk Form / Design S), Design Plus Prize and Red Dot Design Award. He is represented in various museums around the world, including the national Museum for Art, Architecture and Design in Oslo, The Museum of Design & Craft (The Röhsska Museum) in Gothenburg and Victoria & Albert Museum in London.

Dahlström has been a professor at the University of Arts (Konstfack), and taught at Beckmans School of Design in Stockholm. Björn Dahlström lives and works in Stockholm, Sweden.

---



